

NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : ARMOFLOOR SLP PART A

HS CODE : 3208900

Application : High performance self levelling polyurethane topping

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 : P.O. Box 29585

 Telephone
 : +971 4 3334140

 Fax
 : +971 4 3334115

 Email
 : info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

No significant hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Branched Polyalcohol	>50	

4. FIRST AID MEASURES:

Skin contact : Flush with large amounts of clean water, use soap if available.

Remove any contaminated clothing.

Eye contact : Check for and remove any contact lenses. Flush with large

amounts of clean warm water for 15 minutes. Get prompt

medical attention.

Inhalation : Immediately move victim to fresh air. If breathing has stopped

then administer artificial respiration. Get prompt medical

attention.



Ingestion Guard against aspiration into lungs. If victim is conscious and

alert, give to glasses of water. Get prompt medical attention.

5. FIRE FIGHTING MEASURES:

Suitable extinguishing media Unsuitable extinguishing media Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Special protective equipment

Additional information

Alcohol resistant foam, CO2, powders, water spray.

Waterjet.

Fire will produce dense black smoke. Exposure to decomposition products

may cause a health hazard.

Appropriate-breathing apparatus may be required

Cool endangered containers with water in case of fire. Do not

allow the quenching water into the sewage system

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions Wear suitable protective clothing, gloves and eye/face

protection. Split product presents a significant slip

hazard.

Environmental Precautions Prevent entry into rains, sewers and water courses.

Decontamination Procedures Soak up with inert absorbent or contain and remove by

best available means. Gather into containers. Dispose

of as waste

7. HANDLING AND STORAGE:

Handling Avoid skin and eye contact.

Protective clothing to be Always wear eye protection, protect hands under

rubber gloves, wear protective footwear. worn

Respirator Not applicable. (If product is sprayed, use supplied air

bond)

Ventilation Adequate, local ventilation must be provided for all

enclosed work spaces.

Storage Store in a dry location. Avoid excessive heat or cold. Keep

containers closed.



Spill procedures : Contain and absorb spilled materials with a non-

flammable substance such as sand.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Exposure limits : MAK (DFG, 1997)

Acute exposure effects : No known acute effects

Chronic exposure effects : Repeated or prolonged exposure to skin may cause

Sensitization

Mutagenicity : No data Carcinogenicity : No data

Irritancy : Mild skin and eye irritant

Exposure limits : None established

Acute exposure effects : No known acute effects

9. PHYSICAL AND CHEMICAL PROPERTIES:

Form : Liquid

Colour : Various (see the color chart)

Odour : Faint
Change in physical state : N/A
Boiling point, °C(mm Hg) : N/A

Melting point, °C

Flash Point (°C) : > 100 °C Autoignition temperature (°C) : N/A Explosion limits : N/A

-lower -upper

Thermal decomposition : N/A
Specific gravity (°C) : 1.5 (25)
Viscosity (mPa.s) : 950

Vapour pressure, mbar : no data available

pH value (°C) : N/A Solubility in water (°C) : N/A



10. STABILITY AND REACTIVITY:

Chemical stability : Stable

Incompatibility with other : Avoid bases, acids, amines and oxidizers

substances

Hazardous decomposition : CO and phenolics produced under combustion

Products

11. TOXICOLOGICAL INFORMATION:

Heath Effects:

The following toxicological assessment is based no a knowledge of the toxicity of the product's components. Oral LD50, rat.> 5000 mg/kg. Dermal LD50, rat/rabbit > 5000 mg/kg.

On Eyes : May cause transient irritation.

On skin : Unlikely to irritate on brief or occasional exposure.

By Inhalation : Low volatility makes inhalation unlikely at ambient

temperatures.

By Ingestion : May cause irritation of mouth, throat and digestive

Tract

Chronic : Low order of acute toxicity. May cause irritation of

mouth, throat and digestive tract.

12. ECOLOGICAL INFORMATION:

Environmental / Assessment : When used and disposed of as intended, no adverse

environmental effects are foreseen.

Mobility : Mobile liquid, emulsifiable in water.

Persistence and Degradability : Inherently biodegradable.

Bioaccumulative Potential : Not expected to be bioaccumulative.

Ecotoxicity : Not expected to be ecotoxic to fish/daphnia/algae.



13. DISPOSAL CONSIDERATIONS:

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant.

Uncleaned packaging must be disposed of in the same manner as the

medium.

Product Waste key Disposal Code according to European Waste Catalog (EWC)

please specify according to the use of product, e.g.: 080102 Waste from production, formulation, sales and application of paints and varnishes. Old paints and varnishes, not containing halogenated hydrocarbons. Switzerland: Disposal code (VVS): 1620 Waste from paints, varnishes and adhesives with organic

phase or solvent

14. TRANSPORT INFORMATION:

Land transport ADR/RID and GGVS/GGVE (2001)

Classification

Class: -

Maritime transport IMDG/GGVSea

Classification IMDG-Code : -

Air transport ICAO-TI and IATA-DGR

Classification

Class: -

15. REGULATORY INFORMATION:

Hazard Label Data:

Safety Phrases : Avoid contact with skin and eyes. In case of contact with

eyes, rinse immediately with plenty of water and seek

medical advice.

EC Directives : Dangerous Substances Directive 67/548/EEC and

adaptations. Dangerous Preparations

Directive, 88/379/EEC

Safety Data Sheets Directive, 91/155/EEC.



16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-1116



NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : ARMOFLOOR SLP PART B

HS CODE : 39089000

Application : High perfomance slef levelling polyurethane topping

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

No significant hazard. Harmful if Inhaled.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
4,4'-diphenylmethanediisocyanate	100	9016-87-9

4. FIRST AID MEASURES:

Skin contact : Flush with large amounts of clean water, use soap if available.

Remove any contaminated clothing.

Eye contact: Check for and remove any contact lenses. Flush with large

amounts of clean warm water for 15 minutes. Get prompt

medical attention.

Inhalation : Immediately move victim to fresh air. If breathing has stopped

then administer artificial respiration. Get prompt medical

attention.



Ingestion Guard against aspiration into lungs. If victim is conscious and

alert, give to glasses of water. Get prompt medical attention.

5. FIRE FIGHTING MEASURES:

Suitable extinguishing media Unsuitable extinguishing media Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged Special protective equipment

Alcohol resistant foam, CO2, powders, water spray. Waterjet.

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Appropriate-breathing apparatus may be required Additional information

Cool endangered containers with water in case of fire. Do not

allow the quenching water into the sewage system

6. ACCIDENTAL RELEASE MEASURES:

Always wear eye protection, protect hands under rubber Protective clothing to be

gloves, wear protective footwear. worn

Respirator Not applicable. (If product is sprayed, use supplied air bond) Adequate, local ventilation must be provided for all enclosed Ventilation

work spaces.

Store in a dry location. Avoid excessive heat or cold. Keep **Storage**

containers closed.

Spill procedures Contain and absorb spilled materials with a non-flammable

substance such as sand.

7. HANDLING AND STORAGE:

Handling Avoid skin and eye contact.

Storage Store in cool, dry area. Protect from frost.

NOHSC 1003 (1995) Exposure Standard: Isocyanate 0.02mg/m³ TWA, 0.07mg/m³ STEL (as NCO) **Engineering Control Measures** Use with adequate general and local exhaust ventilation

Personal Protective Equipment Impervious gloves, safety goggles, plastic apron.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Occupational Exposure Limits : None assigned.

Engineering Control Measures : No specific ventilation requirement noted.

Personal Protective Equipment : Avoid skin and eye contact, impervious gloves (eg.

nitrile or neoprene), goggles. When mist occurs during spraying operations, wear suitable respiratory protective

equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Form Liquid Colour yellowish Odour Earthy Change in physical state N/A Boiling point, °C(mm Hg) N/A Melting point, °C < 0 °C > 200 °C Flash Point (°C) Autoignition temperature (°C) : > 400 °C Thermal decomposition N/A Specific gravity (°C) 1.4 (25) Viscosity (mPa.s) 200-500 Vapour pressure (50°C) < 0,0001 hPa

pH value (°C) : N/A Solubility in water (°C) : N/A

10. STABILITY AND REACTIVITY:

Conditions to avoid : Stable under recommended storage and handling

conditions(See section 7).

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and strongly

acid materials in order to avoid exothermic reactions.

Exothermic reaction with amines and alcohols. In contact with water (moisture) CO2 is formed which leads to an excess

pressure in closed containers.

Hazardous decomposition products: When exposed to high temperatures may produce hazardous

decomposition products such as carbon monoxide and dioxide,

smoke, oxides of nitrogen.



11. TOXICOLOGICAL INFORMATION:

Experience on practice Based on the properties of the isocyanate components and

considering toxicological data on similar preparations, this

preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, Wheeziness and a thightness of the chest. Sensitized persons may subsequently show

asthmatic symptoms when exposed to

atmospheric concentrations well below the OEL (=Occupational

Exposure Limit). Repeated exposure may lead to permanent respiratory disability. Delayed reactions possible (breathing problems, coughs,

asthma)

Additional toxicological information The product was classified in toxicological terms on the basis of the

results of the calculation procedure outlined within General Directive on

Preparations (88/379/EEC).

12. ECOLOGICAL INFORMATION:

Environmental / Assessment : When used and disposed of as intended, no adverse

environmental effects are foreseen.

Mobility : Mobile liquid, emulsifiable in water.

Persistence and Degradability : Inherently biodegradable.

Bioaccumulative Potential : Not expected to be bioaccumulative.

Ecotoxicity : Not expected to be ecotoxic to fish/daphnia/algae.

13. DISPOSAL CONSIDERATIONS:

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant.

Uncleaned packaging must be disposed of in the same manner as the

medium.

Product Waste key Disposal Code according to European Waste Catalog (EWC)

please specify according to the use of product, e.g.: 080102 Waste from production, formulation, sales and application of paints and varnishes. Old paints and varnishes, not containing halogenated hydrocarbons. Switzerland: Disposal code (VVS): 1620 Waste from paints, varnishes and adhesives with organic

phase or solvent



14. TRANSPORT INFORMATION:

Proper shipping name : Polyisocyanate mixture

UN Number : Not classified as hazardous for transport

Class : -

Subsidiary risk : Packing Group : Label(s) : -

Additional Information

ADR-HIN : -

IMDG-EMS : - Marine Pollutant: No

IMO : -

15. REGULATORY INFORMATION:

Hazard Label Data:

Safety Phrases : Avoid contact with skin and eyes. In case of contact with

eyes, rinse immediately with plenty of water and seek

medical advice.

EC Directives : Dangerous Substances Directive 67/548/EEC and

adaptations. Dangerous Preparations

Directive, 88/379/EEC

Safety Data Sheets Directive, 91/155/EEC.

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.