

NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name:CONJECT EPHS Code:39073000

Application:Low Viscosity Epoxy Injection ResinManufacturer:MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

R Phrase(s) : R20/21/22; Harmful by inhalation, in contact with skin

and if swallowed R34; Causes burns

R43; May cause sensitization by skin contact

R52/53; Harmful to aquatic organisms may cause long

terms adverse effects in aquatic environment.

S Phrase(s) : S26; In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S28; After contact with skin, wash immediately with plenty of

water and soap.

S36/37/39; Wear suitable protective clothing, gloves and

eye/face protection.

S45; In case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible)

S51; Use only in well ventilated areas

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Modified Epoxy Resin	100	25068-38-6



4. FIRST AID MEASURES:

Eye contact : Flush immediately with plenty of water for at least 15 minutes.

Get medical attention.

Skin contact : Remove contaminated clothes immediately. Wash affected

area with plenty of water. Seek medical attention.

Inhalation : Remove affected person to fresh air. If symptoms persist obtain

medical attention.

Ingestion : If swallowed drink water. Obtain medical attention. Induce

vomiting only on advice of physician.

5. FIRE FIGHTING MEASURES:

Extinguishing Media Suitable : Foam, carbon dioxide and dry powder.

Not to be used : Water jet, combustion products

6. ACCIDENTAL RELEASE MEASURES:

After Spillage/Leakage : Absorb with suitable material e.g. sand and earth, seal in plastic

bag and bury in landfill. Flush contaminated area with plenty of

water. In addition, please refer to the local regulations

regarding disposal.

7. HANDLING AND STORAGE:

Technical Protective Measures : Store in shaded areas away from direct sunlight. Keep

away from other flammable liquids.

Protection against fire and explosion : Avoid use in confined space and sources of Ignition –

no smoking.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Exposure Limits : MAK (DFG, 1997) Personal protective equipment

Respiratory Protection : Nasal respirator if product required in confined spaces.



Eye Protection Safety goggles Skin Protection Impervious gloves

Other Industrial Hygiene Observe the usual precaution when handling chemicals.

Wash hands before breaks and after finishing work.

Do not eat, drink or smoke at workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Form Liquid Colour Colourless Odour Characteristic

Change in physical state N/A

Boiling point, °C (mm Hg) N/A

Melting point (°C) N/A Flash point (°C) > 100 Autoignition temperature (°C): N/A Thermal decomposition N/A Density, g/cm3 (°C) 1.1 Vapour pressure, mbar (°C) N/A

Viscosity(°C) 50-60 poise

pH value(°C) N/A

Solubility in water (°C) Insoluble

10. STABILITY AND REACTIVITY:

Hazardous Decomposition

Products When exposed to high temperatures may produce carbon

monoxide and/or carbon dioxide and oxides of nitrogen.

Hazardous Reaction Reaction with strong acids, oxidizing material and strong bases

possible.

This material is thermally stable when stored and used as directed.

11. TOXICOLOGICAL INFORMATION:

Information of toxicity Susceptible people may suffer allergic reactions. Product

has synthesizing effects.



Skin / Eyes : Frequent and long lasting contact may cause irritation

and skin inflammation.

12. ECOLOGICAL INFORMATION:

Ecological effect information

Impairment of sludge activity

Other information : Not readily biodegradable

13. DISPOSAL CONSIDERATIONS:

Disposal : Absorb with sand or earth. Collect in plastic disposable

bags. Bury in or mix separate product components in ratio as supplied and not exceeding single pack size quantities, in suitable metal containers. Bury in Landfill.

In addition, please refer to the local regulations

Do not discharge product into drains and sewers.

regarding disposal.

14. TRANSPORT INFORMATION:

UN No. : 3082

IMO Class :

ICAO/IATA : Class 9 Packing Group III

Marine Pollutant : Yes

15. REGULATORY INFORMATION:

Labelling : According to EEC directives for preparation.

R Phrase(s) : R20/21/22; Harmful by inhalation, in contact with skin

and if swallowed R34; Causes burns

R43; May cause sensitization by skin contact

R52/53; Harmful to aquatic organisms may cause long

terms adverse effects in aquatic environment.

S Phrase(s) : S26; In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice. S28; After contact with skin, wash immediately with

plenty of water and soap.



S36/37/39; Wear suitable protective clothing, gloves and eye/face protection.
S45; In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
S51; Use only in well ventilated areas

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-1216

NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name:CONJECT EPHS Code:29212900

Application:Low Viscosity Epoxy Injection ResinManufacturer:MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 : P.O. Box 29585

 Telephone
 : +971 4 3334140

 Fax
 : +971 4 3334115

 Email
 : info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

Hazardous identification : C (Corrosive)
Risk Phrase(s) : R34; Causes burns

R43; May cause sensitization by skin contact

Safety Phrase(s) : S26; In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice

S36/37/39; Wear suitable protective clothing, gloves and

eye/face protection

S45; In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible)

S61; Avoid release to the environment. Refer to special

instructions / safety data sheets

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Modified polyamido amine	100	68605-86-7

4. FIRST AID MEASURES:

Eyes : Remove contact lenses. Hold eyelids apart. Immediately flush

eyes with plenty of low pressure water for at least 15 minutes.

Get immediate medical attention.

Skin : Wash thoroughly with soap and water. Remove contaminated

clothing. Thoroughly wash clothing before reuse. Render

unusable and discard contaminated shoes and leather articles.

Inhalation : Remove to fresh air. Give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

Ingestion : If conscious, drink large quantities of water. Induce vomiting.

Call a physician or poison control center immediately

5. FIRE FIGHTING MEASURES:

Extinguishing Media Suitable : Foam, carbon dioxide and dry powder.

Not to be used : Water jet, combustion products

6. ACCIDENTAL RELEASE MEASURES:

Clean up spills immediately using soft natural bristle brush and conductive rubber or conductive plastic shovel. Use caution, material is sensitive to initiation from sources such as heat, flame, shock, friction, or sparks.

7. HANDLING AND STORAGE:

General measures : Do not pressurize or expose containers to heat, flame, sparks,

static electricity, or other sources of ignition.

Store in a cool, dry place. Store only in Department of

Transportation approved containers.

Check old product for deterioration regularly.

Materials or conditions : Avoid storing product near incompatible materials.

to avoid See section 10.

Do not keep deteriorated or salvaged product.

Keep away from heat, flame, sparks, and other ignition Sources. Do not store in direct sunlight or expose to UV

radiation.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Exposure Limits : MAK (DFG, 1997) Personal protective equipment

Respiratory Protection : Nasal respirator if product required in confined spaces.

Eye Protection : Safety goggles

Skin Protection : Impervious gloves

Other Industrial Hygiene : Observe the usual precaution when handling chemicals. Wash

hands before breaks and after finishing work. Do not eat, drink

or smoke at workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Form : Liquid
Colour : Colourless
Odour : Amine-like

Change in physical state : N/A

Boiling point, $^{\circ}$ C (mm Hg) : >200

Melting point (°C) : N/A

Flash point (°C) : Approx. 120

Autoignition temperature ($^{\circ}$ C) : N/A Explosion limits : N/A

-Lower -Upper

Thermal decomposition : N/A
Density, g/cm3 (°C) : 1.05
Vapour pressure, mbar (°C) : N/A

Viscosity(°C) : <10 mPas (25) pH value(°C) : Approximately 11.0

Solubility in water (°C) : Not Miscible

Further information : N/A

10. STABILITY AND REACTIVITY:

General stability considerations : Stable under recommended handling and storage conditions. Incompatible materials : Incompatible with: acids, oxidizing agents, alkalis and amines

and strong sunlight or ultraviolet light.

Hazardous decomposition : None anticipated under normal or recommended handling and

products storage conditions.

Hazardous polymerization : Not anticipated under normal or recommended handling and

storage conditions.

11. TOXICOLOGICAL INFORMATION:

Information of toxicity : General acute oral toxicity (LD50, rat) 4300 mg/kg

Skin irritation : Corrosive Eye irritation : Corrosive

Other Information

12. ECOLOGICAL INFORMATION:

Ecotoxicity : No ecological studies have been carried out with this product.

13. DISPOSAL CONSIDERATIONS:

Disposal : Absorb with sand or earth. Collect in plastic disposable

bags. Bury in or mix separate product components in ratio as supplied and not exceeding single pack size quantities, in suitable metal containers. Bury in Landfill.

In addition, please refer to the local regulations

regarding disposal.

14. TRANSPORT INFORMATION:

UN Haz. Class : 8 UN Number : 1760 Packaging Group : 3

15. REGULATORY INFORMATION:

Hazardous identification : C (Corrosive)

Risk Phrase(s) : R34; Causes burns

R43; May cause sensitization by skin contact

Safety Phrase(s) : S26; In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice

S36/37/39; Wear suitable protective clothing, gloves and

eye/face protection

S45; In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible)

S61; Avoid release to the environment. Refer to special

instructions / safety data sheets

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-1216