

NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : DECOBRUSH - PART A

HS CODE : 38245000

Application : Polymer modified protective and decorative coating

for concrete

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

Irritating to eyes, respiratory system and skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Composition : Ordinary Portland cement, Silica sand, Organic

Polymer, and other Chemical Additives.

Ingredients	% Composition	CAS No.
Cement	35	65997-15-1
Silica Sand	51	7631-86-9
Calcium Carbonate	9	471-34-1
Organic Polymer	2	9063-87-0
Additives	3	1332-58-7

4. FIRST AID MEASURES:

Eyes : Irrigate immediately with copious quantities of water

for several minutes. Obtain medical attention urgently

Skin : Wash immediately with copious quantities of water.



Remove contaminated clothing immediately. Obtain

medical advice if skin disorders develop.

Inhalation : Remove from exposure, rest and keep warm and obtain

medical attention urgently.

Ingestion : Wash out mouth with water. DO NOT induce vomiting.

Obtain medical attention.

5. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media : None, not flammable.

Special Exposure Hazards : None

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions : Wear rubber boots in addition to the recommended

protective clothing.

Environmental Precautions : Prevent entry into drains, sewers and water courses.

Decontamination Procedures : Avoid the creation of dust in atmosphere. Gather into

containers. Residues may be flushed to drain with large

volumes of water.

7. HANDLING AND STORAGE:

Handling : Avoid creating dust. Avoid breathing dust. In case of

insufficient ventilation, wear suitable respiratory

equipment. Avoid skin and eye contact.

Storage : Store in cool, dry area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Exposure Standards : 0.1 mg/m3

Engineering Controls : Use in well-ventilated area. Avoid generating and

inhaling dusts.

Respiratory Protection : Class P1 or dust mask.

Glove Type (AS2161) : Nitrile rubber or PVC gauntlets



Eye Protection : Chemical worker's goggles

Clothing : Overalls.

Other : Use barrier creams to protect skin from contact with

the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work.

Observe the usual precautions when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State : Powder

Colour : Grey

Odour : Odourless

Boiling Point/Range (°C) : Not applicable

Melting Point/Range (°C) : Not applicable

Flash Point (closed) (°C) : None

Autoflammability (°C) : Not determined Explosive Properties (%) : Not known Relative Density (at 20°C) : 1.4 - 1.5 Unsoluble

10. STABILITY AND REACTIVITY:

Stability : Stable

Conditions to avoid : Exposure to air, contamination with water.

Materials to avoid : Strong acids.

Hazardous Decomposition Products : None

11. TOXICOLOGICAL INFORMATION:

Health Effects:

On Eyes : Irritating and may injure eye tissue if not removed

promptly. Abrasive material - may cause damage to eyes.

On skin : Irritation. See "chronic" effects.

By Inhalation : Irritating to respiratory system. Inflammation of the

Nasal mucous membrane by exposure to cement dust.

By Ingestion : May cause irritation of mouth, throat and digestive tract.



Chronic : Cement, cementitious grouts and mortars are known to

Cause both irritant and allergic contact dermatitis.

Prolonged skin contact can result in chemical burns.

12. ECOLOGICAL INFORMATION:

Environmental / Assessment : Little detailed information is available on the ecological

effects of this product, but its overall environmental

impact is not regarded as significant.

Mobility : Insoluble in water.

Persistence and Degradability : Not readily biodegradable.

Bio-accumulative Potential : Not expected to be bio-accumulative.

Eco-toxicity : Not expected to be eco-toxic to fish/daphnia/algae.

13. DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with local and national legislation.

Unused Product : Dispose of in an approved manner.

Used / Contaminated Product : As for unused product.

Packaging : The method of disposal must be acceptable to the local

authority.

14. TRANSPORT INFORMATION:

This product is NOT classified as dangerous for transport.

15. REGULATORY INFORMATION:

Hazard Label Data:

Named Ingredients : Cement powders

Symbol (s) : X

Risk Phrases : Irritating to eyes, respiratory system and skin.

Safety Phrases : Do not breathe dust.

Avoid contact with skin and eyes.



In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice. Wear suitable

protective clothing, gloves and eye / face protection.

EC Directives : Dangerous Substances Directive 67/548/EEC and

adaptations.

Dangerous Preparations Directive, 88/379/EEC

Safety Data Sheets Directive, 91/155/EEC.

Statutory Instruments : Chemicals (Hazards Information and Packaging) reg.

1993 (SI 1746). Health and Safety at work etc. Act 1974 Control of Substances Hazardous to Health Reg. 1988 (SI

1657)

Codes of Practice : Waster Management the Duty of Care.

Guidance Notes : Occupational skin diseases: health and safety

precautions (EH 26). Dust in the workplace: general principles of protection (EH 44). Occupational exposure

limits (EH 40).

The above publications are available from

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.



NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : DECOBRUSH - PART B

HS CODE : 39059100

Application : High Elasticity Polymer Additive for Waterproofing

Mortar

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 : P.O. Box 29585

 Telephone
 : +971 4 3334140

 Fax
 : +971 4 3334115

 Email
 : info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

No significant hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Composition : Special Type of Styrene Acrylic Co-Polymer, water

and Chemical Additives.

Ingredients	% Composition	CAS No.
Styrene Acrylic Co-Polymer	51	57516-68-4
Chemical Additives	4	1332-58-7
Water	45	7732-18-5

None of the ingredients of this product are classified as hazardous.

All constituents of this product are listed in EINECS (European Inventory of Existing Commercial Chemical Substances) or ELINCS (European List of New Chemical Substances) or are exempt. Refer to Section 8 for Occupational Exposure Limits.



4. FIRST AID MEASURES:

Eyes : Irrigate immediately with copious quantities of water

for several minutes. Obtain medical attention if

irritation persists.

Skin : Wash thoroughly with soap and water or suitable skin

cleanser as soon as possible.

Inhalation : Remove from exposure, unlikely to occur.

Ingestion : Wash out mouth with water. Obtain medical attention

5. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media : Carbon dioxide, powder, foam or water for –

Do not use water jets.

Special Exposure Hazards : Material can splatter above 100°C. Polymer film can

burn. Irritant fumes.

Special Protective Equipment : Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions : Wear suitable protective clothing, gloves and eye/face

protection. Split product presents a significant slip

hazard.

Environmental Precautions : Prevent entry into drains, sewers and water courses.

Decontamination Procedures : Soak up with inert absorbent or contain and remove by

best available means. Gather into containers.

7. HANDLING AND STORAGE:

Handling : Avoid skin and eye contact.

Storage : Store in cool, dry area. Protect from frost.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Occupational Exposure Limits : None assigned.

Engineering Control Measures : No specific ventilation requirement noted.

Personal Protective Equipment : Avoid skin and eye contact, impervious gloves (eg. nitrile

or neoprene), goggles. When mist occurs during spraying

operations, wear suitable respiratory protective

equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State : Liquid Colour : White

Odour : Slight / Faint pH (working dilution) : 7.5 - 9.0

Boiling Point/Range (°C) : 100

Melting Point/Range (°C) : 0

Flash Point (closed) (°C) : None

Autoflammability (°C) : Not applicable Explosive Properties (%) : Not applicable Oxidising Properties : Not applicable Vapour Pressure (kPa at 20°C) : 2.3 (water) Relative Density (at 20°C) : 1.08 – 1.10 Water Solubility : Emulsifiable

10. STABILITY AND REACTIVITY:

Stability : Stable

Conditions to avoid : Temperature (°C) below 2.

Materials to avoid : Non known

Hazardous Decomposition Products : Thermal decomposition. Oxides of carbon.



11. TOXICOLOGICAL INFORMATION:

Heath Effects:

The following toxicological assessment is based no a knowledge of the toxicity of the product's components. Oral LD50, rat.> 5000 mg/kg. Dermal LD50, rat/rabbit > 5000 mg/kg.

Health Effects:

On Eyes : May cause transient irritation.

On skin : Unlikely to irritate on brief or occasional exposure.

By Inhalation : Low volatility makes inhalation unlikely at ambient

temperatures.

By Ingestion : May cause irritation of mouth, throat and digestive

tract.

Chronic : Low order of acute toxicity. May cause irritation of

mouth, throat and digestive tract.

12. ECOLOGICAL INFORMATION:

Environmental / Assessment : When used and disposed of as intended, no adverse

environmental effects are foreseen.

Mobility : Mobile liquid, emulsifiable in water.

Persistence and Degradability : Inherently biodegradable.

Bioaccumulative Potential : Not expected to be bio accumulative.

Ecotoxicity : Not expected to be ecotoxic to fish/daphnia/algae.

13. DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with local and national legislation.

Unused Product : Dispose of in an approved manner.

Do not empty into drains, sewers or water courses.

Used / Contaminated Product : As for unused product.

Packaging : May be steam cleaned and recycled.

14. TRANSPORT INFORMATION:

This product is NOT classified as dangerous for transport.



15. REGULATORY INFORMATION:

Hazard Label Data:

Safety Phrases : Avoid contact with skin and eyes. In case of contact with

eyes, rinse immediately with plenty of water and seek

medical advice.

EC Directives : Dangerous Substances Directive 67/548/EEC and

adaptations. Dangerous Preparations Directive,

88/379/EEC Safety Data Sheets Directive, 91/155/EEC.

Statutory Instruments : Chemicals (Hazards Information and Packaging) reg.

1993 (SI 1746).

Control of Substances Hazardous to Health Reg. 1988

(SI 1657)

Environmental Protection (Duty of Care) Regs. 1991

(SI 2839).

Codes of Practice : Waste Management the Duty of Care.

The above publications are available from HMSO

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-01-0120