

NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : HYDROCEM DWT PART A

HS Code : 38245000

Application: Two Part Flexible Waterproofing for Drinking Water Tanks

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

The product is classified as hazardous within the meaning of the valid (EU)

preparation guideline.

Signal Word : Xi, Irritant

Symbol :



Hazard Statement(s) : H317, May cause an allergic skin reaction

: H319, Causes serious eye irritation

H334, May cause allergy or asthma symptoms or breathing

difficulties if inhaled

Precautionary Statement(s): P261, Avid breathing dust/fume/gas/mist/vapours/spray

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Cement Grey	30-50	65997-15-1
Sand	40-60	14808-60-7
Additives	1.0-5.0	1332-58-7



4. FIRST AID MEASURES:

Eyes : Irrigate immediately with copious quantities of water for several

minutes. Obtain medical attention urgently

Skin : Wash immediately with copious quantities of water. Remove

contaminated clothing immediately. Obtain medical advice if

skin disorders develop.

Inhalation : Remove from exposure, rest and keep warm and obtain medical

attention urgently.

Ingestion : Wash out mouth with water. DO NOT induce vomiting. Obtain

medical attention.

5. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media : None, not flammable.

Special Exposure Hazards : None

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions : Wear rubber boots in addition to the recommended protective

clothing

Environmental Precautions: Prevent entry into drains, sewers and water courses.

Decontamination Procedures : Avoid the creation of dust in atmosphere. Gather into containers.

Residues may be flushed to drain with large volumes of water.

7. HANDLING AND STORAGE:

Handling : Avoid creating dust. Avoid breathing dust. In case of insufficient

ventilation, wear suitable respiratory equipment. Avoid skin and

eye contact.

Storage : Store in cool, dry area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Engineering Control Measures: No particular measures required.



Respiratory Protection : Dust mask when dust is generated. Dust mask, P2 particle

filter.

Hand Protection : For short time contact (eg. As protection against splashes)

protective gloves made from polychloroprene with an inner layer of cotton (material thickness > 1.0 mm, breakthrough time > 480

min) are recommended according to EN 374.

In case of longer and repeated contact, please note that in practice, the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace. The gloves must be replaced immediately at the first

signs of wear and tear. The information provided by the manufacturers and given in the relevant trade association regulations for industry safety must always be observed. We recommend that a hand care plan is drawn up in cooperation with glove manufacturer and the trade association in accordance

with the local operating conditions.

Dustproof working clothes

Eye Protection : Goggles which can be tightly sealed.

Skin Protection :

General protection and

Hygiene Measures : Avoid skin and eye contact.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State : Powder
Odour : Odourless
Boiling Point/Range (°C) : Not applicable
Melting Point/Range (°C) : Not applicable

Flash Point (closed) (°C) : None

Autoflammability (°C):Not determinedExplosive Properties (%):Not knownDensity (at 20°C):1.75 ± 0.05Water Solubility:Insoluble

10. STABILITY AND REACTIVITY:

Stability : Stable

Conditions to avoid : Exposure to air, contamination with water.

Materials to avoid : Strong acids.

Hazardous Decomposition



Products : None

11. TOXICOLOGICAL INFORMATION:

Health Effects:

On Eyes : Irritating and may injure eye tissue if not removed promptly.

Abrasive material - may cause damage to eyes.

On skin : Irritation. See "chronic" effects.

By Inhalation : Irritating to respiratory system. Inflammation of the nasal

mucous membrane by exposure to cement dust.

By Ingestion : May cause irritation of mouth, throat and digestive tract.

Chronic : Cement, cementitious grouts and mortars are known to cause

both irritant and allergic contact dermatitis. Prolonged skin

contact can result in chemical burns.

12. ECOLOGICAL INFORMATION:

Environmental / Assessment : Little detailed information is available on the ecological effects of

this product, but its overall environmental impact is not regarded

as significant.

Mobility : Insoluble in water.

Persistence and Degradability: Not readily biodegradable.

Bio-accumulative Potential : Not expected to be bio-accumulative.

Eco-toxicity : Not expected to be eco-toxic to fish/daphnia/algae.

13. DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with local and national legislation.

Unused Product : Dispose of in an approved manner.

Used / Contaminated Product: As for unused product.

Packaging: The method of disposal must be acceptable to the local authority.

14. TRANSPORT INFORMATION:

General Information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA – DGR.



15. REGULATORY INFORMATION:

Hazard Statement(s) : H317, May cause an allergic skin reaction

H319, Causes serious eye irritation

: H334, May cause allergy or asthma symptoms or breathing

difficulties if inhaled

Precautionary Statement(s) : P261, Avid breathing dust/fume/gas/mist/vapours/spray

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-0925



NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : HYDROCEM DWT Part B

HS Code : 39059100

Application: Two Part Flexible Waterproofing for Drinking Water Tanks

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

No significant hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Acrylic Co-Polymer	50	025987-66-0
Water	50	7732-18-5

4. FIRST AID MEASURES:

Eyes : Irrigate immediately with copious quantities of water for several

minutes. Obtain medical attention if irritation persists.

Skin : Wash thoroughly with soap and water or suitable skin cleanser

as soon possible.

Inhalation : Remove from exposure, unlikely to occur.

Ingestion: Wash out mouth with water. Obtain medical attention



5. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media : Carbon dioxide, powder, foam or water. Do not use water jets.

Special Exposure Hazards : Material can splatter above 100°C. Polymer film can burn. Irritant

fumes.

Special Protective Equipment: Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions : Avoid contact with skin and eyes.

Environmental Precautions : Do not empty into drains / surface water / ground water.

Clean up Methods : Remove with liquid-absorbing material (sand, peat, sawdust).

7. HANDLING AND STORAGE:

Handling : Avoid skin and eye contact.

Storage : Store in cool, dry area. Protect from frost.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Occupational Exposure Limits : None assigned.

Engineering Control Measures: No specific ventilation requirement noted.

Personal Protective Equipment: Avoid skin and eye contact, impervious gloves (eg. nitrile or

neoprene), goggles. When mist occurs during spraying

operations, wear suitable respiratory protective equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:LiquidColour:White

Odour : Slight / Faint
pH (working dilution) : 8.0 – 10.0
Boiling Point/Range (°C) : Not determine

Melting Point/Range (°C) : 0
Flash Point (closed) (°C) : None

Autoflammability (°C) : Not applicable Explosive Properties (%) : Not applicable Oxidising Properties : Not applicable Vapour Pressure (kPa at 20°C) : 2.3 (water)



Relative Density (at 20°C) : 1.05 ± 0.03 Water Solubility : Emulsifiable

10. STABILITY AND REACTIVITY:

Stability : Stable

Conditions to avoid : Temperature (°C) below 2.

Materials to avoid : Non known

Hazardous Decomposition

Products : Thermal decomposition. Oxides of carbon.

11. TOXICOLOGICAL INFORMATION:

Heath Effects:

The following toxicological assessment is based on a knowledge of the toxicity of the product's components. Oral LD50, rat.> 5000 mg/kg. Dermal LD50, rat/rabbit > 5000 mg/kg.

Health Effects:

On Eyes : May cause transient irritation.

On skin : Unlikely to irritate on brief or occasional exposure.

By Inhalation : Low volatility makes inhalation unlikely at ambient temperature

By Ingestion : May cause irritation of mouth, throat and digestive tract.

Chronic : Low order of acute toxicity. May cause irritation of mouth, throat

and digestive tract.

12. ECOLOGICAL INFORMATION:

Environmental / Assessment: When used and disposed of as intended, no adverse

environmental effects are foreseen.

Mobility : Mobile liquid, emulsifiable in water.

Persistence and Degradability: Inherently biodegradable.

Bioaccumulative Potential : Not expected to be bioaccumulative.

Ecotoxicity : Not expected to be ecotoxic to fish/daphnia/algae.



13. DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with local and national legislation.

Unused Product : Dispose of in an approved manner. Do not empty into drains,

sewers or water courses.

Used / Contaminated Product : As for unused product.

Packaging : May be steam cleaned and recycled.

14. TRANSPORT INFORMATION:

General Information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA – DGR.

15. REGULATORY INFORMATION:

Hazard Label Data:

Safety Phrases : S24/S25/S26; Avoid contact with skin and eyes. In case of

contact with eyes, rinse immediately with plenty of water and

seek medical advice.

16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-0925