

NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : HYDROPLUG HS CODE : 38245000

Application : Rapid Setting Cementitious Water Plugging Mortar

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

2. HAZARDS IDENTIFICATION:

Risk Phrase (s) : R36/37/38, Irritating to the eyes, respiratory system

and skin

Safety Phrase (s) : S36/37/39, Wear suitable protective clothing, gloves

and eye/face protection.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Cement Grey	30-50	65997-15-1
Alumina Cement	20-40	65997-16-2
Limestone	5-15	1317-65-3
Silica	0-5	14808-60-7

4. FIRST AID MEASURES:

Eyes : Irrigate immediately with copious quantities of water

for several minutes. Obtain medical attention if an

irritation persists.



Skin : Wash thoroughly with soap and water or suitable skin

cleanser as soon as possible. Remove contaminated clothing immediately. Obtain medical advice if skin

disorders develop.

Inhalation : Remove from exposure, rest and keep warm and obtain

medical attention urgently.

Ingestion : Wash out mouth with water. DO NOT induce vomiting.

Obtain medical attention.

5. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media : None, not flammable.

Special Exposure Hazards : None

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions : Wear rubber boots in addition to the recommended

protective clothing.

Environmental Precautions : Prevent entry into drains, sewers and water courses.

Decontamination Procedures : Avoid the creation of dust in atmosphere. Gather into

containers. Residues may be flushed to drain with large

volumes of water.

7. HANDLING AND STORAGE:

Handling : Avoid creating dust. Avoid breathing dust. In case of

insufficient ventilation, wear suitable respiratory

equipment. Avoid skin and eye contact.

Storage : Store in cool, dry area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Exposure Limits : MAK (DFG, 1997)

Engineering Control Measures : Atmospheric levels of dust must be maintained within

the occupational exposure limit. Where mechanical



methods are inadequate or impractical, appropriate

personal protective equipment must be used.

Personal Protective Equipment : Impervious gloves (eg. PVC), goggles/safety glasses.

Approved dust mask. Change contaminated clothing

immediately and clean before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:PowderColour:GreyOdour:None

Boiling Point/Range (°C) : Not applicable

Melting Point/Range (°C) : Not applicable

Flash Point (closed) (°C) : None

Autoflammability (°C) : Not determined Explosive Properties (%) : Not known

Relative Density (at 20°C) : 1.40
Water Solubility : Insoluble

10. STABILITY AND REACTIVITY:

Stability : Stable

Conditions to Avoid : Exposure to air, contamination with water.

Materials to Avoid : Strong acids.

Hazardous Decomposition : None

11. TOXICOLOGICAL INFORMATION:

Health Effects:

On Eyes : Irritating and may injure eye tissue if not removed

promptly.

Abrasive material - may cause damage to eyes

On skin : Irritation. See "chronic" effects.

By Inhalation : Irritating to respiratory system. Inflammation of the

nasal mucous membrane by exposure to cement dust.



By Ingestion : May cause irritation of mouth, throat and digestive tract.

Chronic : Cement, cementitious grouts and mortars are known to

cause both irritant and allergic contact dermatitis.
Prolonged skin contact can result in chemical burns.

12. ECOLOGICAL INFORMATION:

Environmental / Assessment : Little detailed information is available on the ecological

effects of this product, but its overall environmental

impact is not regarded as significant.

Mobility : Insoluble in water.

Persistence and Degradability : Not readily biodegradable.

Bioaccumulative Potential : Not expected to be bioaccumulative.

Ecotoxicity : Not expected to be ecotoxic to fish/daphnia/algae.

13. DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with local and national legislation.

Unused Product : Dispose of in an approved manner.

Used / Contaminated Product : As for unused product.

Packaging : The method of disposal must be acceptable to the local

authority.

14. TRANSPORT INFORMATION:

Not classified as hazardous according to RID, ADR, ADNR, IMDG, IATA – DGR.

15. REGULATORY INFORMATION:

Risk Phrase (s) : R36/37/38, Irritating to the eyes, respiratory system

and skin

Safety Phrase (s) : S36/37/39, Wear suitable protective clothing, gloves

and eye/face protection.



16. OTHER INFORMATION:

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-01-0116