

#### NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : PLASTOMIX CR200

HS CODE : 38245000

**Application** : Water Repellent Cementitious Dry Ready Mix Plaster

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 : P.O. Box 29585

 Telephone
 : +971 4 3334140

 Fax
 : +971 4 3334115

 Email
 : info@matex.ae

Website : www.matex-global.com

#### 2. HAZARDS IDENTIFICATION:

**Hazards information** : Prolonged exposure may cause irritation to respiratory

system and skin sensitization.

Risk Phrase (s) : None allocated Safety Phrase (s) : None allocated

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Portland Cement	20-30	65997-15-1
Sand	25-30	14808-60-7
Aggregate	50-60	1317-65-3
Hydrated Lime	2	7719-01-9
Additive	2-3	2943-75-1

#### 4. FIRST AID MEASURES:

Eyes : Irrigate immediately with copious quantities of water

for several minutes. Obtain medical attention if an

irritation persists.

**Skin** : Wash thoroughly with soap and water or suitable skin

cleanser as soon as possible.

**Inhalation** : Remove from exposure, unlikely to occur.



Ingestion : Wash out mouth with water. DO NOT induce vomiting.

Obtain medical attention.

5. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media : None, not flammable.

Special Exposure Hazards : None

**6. ACCIDENTAL RELEASE MEASURES:** 

Personal Precautions : Wear rubber boots in addition to the recommended

protective clothing.

**Environmental Precautions** : Prevent entry into drains, sewers and water courses.

**Decontamination Procedures** : Avoid the creation of dust in atmosphere. Gather into

containers. Residues may be flushed to drain with large

volumes of water.

7. HANDLING AND STORAGE:

**Handling** : Avoid creating dust. Avoid breathing dust. In case of

insufficient ventilation, wear suitable respiratory

equipment. Avoid skin and eye contact.

Storage : Store in cool, dry area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

**Exposure Standards** : 0.1 mg/m3

**Engineering Controls** : Use in well-ventilated area. Avoid generating and

inhaling dusts.

**Respiratory Protection** : Class P1 or dust mask.

Glove Type (AS2161) : Nitrile rubber or PVC gauntlets

Eye Protection : Chemical worker's goggles

Clothing : Overalls.

Other : Use barrier creams to protect skin from contact with the

material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work.

Observe the usual precautions when handling chemicals.



#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State : Powder

Colour : Cement Grey

Odour : Odourless

pH (working dilution) : > 12

Boiling Point/Range (°C) : Not applicable Melting Point/Range (°C) : Not applicable

Flash Point (closed) (°C) : None

Autoflammability (°C):Not determinedExplosive Properties (%):Not knownSpecific Gravity (at 20°C):1.8-2.0Water Solubility:Insoluble

#### **10. STABILITY AND REACTIVITY:**

Stability : Stable

**Conditions to Avoid** : Exposure to air, contamination with water.

Materials to Avoid : Strong acids.

Hazardous Decomposition : None

#### 11. TOXICOLOGICAL INFORMATION:

**Health Effects:** 

On Eyes : Irritating and may injure eye tissue if not removed

promptly. Abrasive material - may cause damage to eyes

On skin : Irritation. See "chronic" effects.

**By Inhalation** : Irritating to respiratory system. Inflammation of the

nasal mucous membrane by exposure to cement dust.

**By Ingestion** : May cause irritation of mouth, throat and digestive tract. **Chronic** : Cement, cementitious grouts and mortars are known to

cause both irritant and allergic contact dermatitis.

Prolonged skin contact can result in chemical burns.



#### 12. ECOLOGICAL INFORMATION:

**Environmental / Assessment** : Little detailed information is available on the ecological

effects of this product, but its overall environmental

impact is not regarded as significant.

**Mobility** : Insoluble in water.

**Persistence and Degradability** : Not readily biodegradable.

**Bioaccumulative Potential** : Not expected to be bioaccumulative.

**Ecotoxicity** : Not expected to be ecotoxic to fish/daphnia/algae.

#### 13. DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with local and national legislation.

**Unused Product** : Dispose of in an approved manner.

**Used / Contaminated Product** : As for unused product.

Packaging : The method of disposal must be acceptable to the local

authority.

#### **14. TRANSPORT INFORMATION:**

This product is NOT classified as dangerous for transport.

#### 15. REGULATORY INFORMATION:

Risk Phrase (s) : None allocated Safety Phrase (s) : None allocated

# Matex

## **Material Safety Data Sheet**

#### **16. OTHER INFORMATION:**

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-0820