

### NON HAZARDOUS - CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : TILEGRIP PU PART A

HS CODE : 32089000

**Application** : Polyurethane Tile Adhesive

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 : P.O. Box 29585

 Telephone
 : +971 4 3334140

 Fax
 : +971 4 3334115

 Email
 : info@matex.ae

Website : www.matex-global.com

### 2. HAZARDS IDENTIFICATION:

Hazard Designation : Xi Irritant

Risk Phrase (s) : R36/38, Irritating to eyes and skin

R43, May cause sensitization by skin contact

Safety Phrase (s) : S37/39, Wear suitable glove and eye/face protection

S51, Use in well-ventilated area

### 3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Liquid epoxy	10-25	25068-38-6
Blocked Isocyanate	15-30	Proprietary
Fillers	30-55	14808-60-7
Additives	10	proprietary

### 4. FIRST AID MEASURES:

Eyes : Check and remove any contact lenses. Flush with large amounts

of clean warm water for 15 minutes. Get prompt medical

Attention.

Skin : Flush with large amounts of clean water, use soap if available

Inhalation : Immediately move victim to fresh air. If breathing has stopped

then administer artificial respiration. Get prompt medical



attention.

Ingestion : Not a normal route of injury. Do not induce vomiting; give large

quantities of water, get immediate medical attention. If

vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquids into lungs. Do not give anything by mouth to

an unconscious person.

5. FIRE FIGHTING MEASURES:

Hazardous combustion : Oxides of carbon and other possible toxic fumes from fire

products

Firefighting measures : Foam, carbon dioxide, dry chemical. Wear protective equipment

Including self-contained apparatus

Further information : None

6. ACCIDENTAL RELEASE MEASURES:

**Method and materials for** : Spill should be contained by bundling and absorbing with dry

Clean up

inert filler (e.g vermiculite, sand, oil etc) which can be shoveled into appropriately labeled drums. Disposal should be effected by

approved waste disposal organization according to local

regulations

**Environmental Precautions**: Avoid subsoil penetration. Do not allow to enter into drains,

sewers or waterways

7. HANDLING AND STORAGE:

Storage : Keep containers tightly closed, store under cool dry

conditions. Keep away from food and drink. Keep out of reach of children. Store under cover and away from direct sunlight and moisture. Store at 5°C to 35°C.

Keep away from incompatible materials.

Handling : Wear personal protective equipment (PPE) as per

Section 8



### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Engineering controls : Ventilation is recommended under normal use conditions. State

None established for this product

regulations on speed and direction of airflow away from

operators must be observed. Keep containers closed when not in

use.

Exposure Standards

•

Personal Protective Equipment

Respiratory protection : Type A1 ventilation is inadequate

Glove type (AS 2161) : Chemical resistant, impervious gloves e.g PVC, butyl rubber or

Nitrile rubber gauntlets (consult your local glove supplier/

manufacturer

Eye Protection : Chemical worker's goggles or well-fitting safety glasses or

Full face shield

Clothing : No special clothing required but overalls or other suitable

Industrial clothing which provides full skin coverage are Suggested as a general precaution, especially where heavy

contamination is likely

Other : Use barrier creams to protect skin from contact with the

material. Do not eat drink or smoke while working with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual

precautions when handling chemicals.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

Form : liquid Colour : various

Odour : characteristic

Boiling point (°C) : N/A
Melting point (°C) : N/A

Vapour pressure @ 25°(kPa) : <1000 mbar (50)

Specific gravity : 1.5 (20)
Flash point (°C) : >100
Flammability limits (%) : N/A
Viscosity (°C) : paste

### **10. STABILITY AND REACTIVITY:**

Chemical Stability : Stable under normal storage and application temperature



Incompatible materials

: Strong acids, bases, and oxidizing agents

**Hazardous decomposition** 

**Products**: Oxides of carbon and other possibly toxic fumes from fire.

Hazardous Reactions : Hazardous polymerization will not occur

11. TOXICOLOGICAL INFORMATION:

Health Hazard Summary : Susceptible individuals may develop allergic reactions such as

dermatitis or asthma like symptoms on a single significant skin exposure or may become sensitized to the material on repeated contact. Hence it is imperative that all forms of exposure be kept

to an absolute minimum

Inhalation : May cause irritation to nose and mucous membrane

Eyes : May cause eye irritation, redness and may be capable of

causing corneal scarring

Ingestion : Only very slightly toxic

12. ECOLOGICAL INFORMATION:

Ecology : Do not discharge into drains and sewers unless connected to a

wastewater treatment plant.

**13. DISPOSAL CONSIDERATIONS:** 

Disposal Methods and : Ensure containers are sealed. Dispose of to an approved land

Containers fill site. Refer to Waste Management Authority

**Special Precuations** 

(Landfill / Incineration : none known

**14. TRANSPORT INFORMATION:** 

CFR\_ROAD : Not regulated for transport IATA\_C : Not regulated for transport IMDG : Not regulated for transport CFR\_RAIL : Not regulated for transport



### 15. REGULATORY INFORMATION:

Proposed Classification : Xi, irritant

Not dangerous for the environment

Risk phrase(s) : R36/38, Irritating to eyes and skin

R43, May cause sensitization by skin contact

R51/53, Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment

Safety phrase(s) : S28, after contact with skin, wash immediately with plenty

of water

S37, Wear suitable gloves and eyes/face protection

S61, Avoid release to the environment

#### **16. OTHER INFORMATION:**

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-1123



### NON HAZARDOUS – CHEMICAL IDENTIFICATION CODE NOT APPLICABLE

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY UNDERTAKING:

Product Name : TILEGRIP PU PART B

HS CODE : 32089000

**Application** : Polyurethane Tile Adhesive

Manufacturer : MATEX CONSTRUCTION CHEMICALS

MANUFACTURING CO. L.L.C.

 Address
 :
 P.O. Box 29585

 Telephone
 :
 +971 4 3334140

 Fax
 :
 +971 4 3334115

 Email
 :
 info@matex.ae

Website : www.matex-global.com

### 2. HAZARDS IDENTIFICATION:

Hazard Designation : C (Corrosive)

Risk Phrase (s) : R20/21/22, Harmful by inhalation, in contact with skin and

if swallowed R34, Cause burns

R43, May cause sensitization by skin contact

### 3. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	% Composition	CAS No.
Modified Aliphatic Amine	>90	proprietary

### 4. FIRST AID MEASURES:

Eyes : Remove contact lenses. Hold eyelids apart. Immediately flush

eyes with plenty of water for at least 15 minutes. Get immediate

medical attention

Skin : Wash thoroughly with soap and water. Remove contaminated

clothing. Thoroughly wash clothing before reuse. Render unusable and discard contaminated shoes and leather articles

Inhalation : Remove to fresh air. Give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

Ingestion : If conscious, drink large quantities of water. Induce vomiting

Call a physician or poison control center immediately



NEVER give anything by mouth to an unconscious person NEVER induce vomiting in an unconscious person

#### 5. FIRE FIGHTING MEASURES:

Fire fighting procedures Evacuate area immediately. Do not fight fire

Extinguishing media Deluge with large quantities of water as quickly as possible by

automatic sprinkles or fire hose from a protected location.

Avoid impact, friction, heat, sparks or flame

Product is self-oxidizing

Conditions to avoid

Hazardous combustion

**Products** If heated to combustion, the following substances may be

> Formed: carbon monoxide, carbon dioxide, nitrogen, water, Hydrogen, nitrogen oxides, methane, aldehydes, carboxylic acid,

And hydrogen cyanide

### 6. ACCIDENTAL RELEASE MEASURES:

Clean up spills immediately using soft natural bristle brush and conductive rubber or conductive plastic Shovel. Use caution, material is sensitive to initiation from sources such as heat, flame, shock, friction or Sparks. In case of accidental spill or release, refer to Section 8, personal protective equipment and general Hygiene practices

### 7. HANDLING AND STORAGE:

General measures Do not pressurize or expose containers to heat, flame,

> sparks, static electricity, or other sources of ignition. Store in a cool, dry place, approximately 20°C. Store only in Department of Transportation approved

containers. Check old product for deterioration regularly

Materials or conditions to avoid Avoid storing product near incompatible materials. Do :

not store near flammable materials. Do not keep

deteriorated or salvaged product. Keep away from heat, flame, sparks and other ignition sources. Do not store

in direct sunlight or expose to UV radiation



### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

General Hygienic Practices : Avoid contact with eyes, skin and clothing. Avoid breathing dust,

vapor or mist. Wash thoroughly after handling, and before eating, drinking, or smoking. Avoid contamination of food, beverages, or smoking materials. Remove contaminated clothing

promptly and clean thoroughly before reuse. Discard

contaminated leather articles.

## Recommended Exposure Limits:

Hazardous Component Wt.% limit basis

	IWA		SIEL	
	Ppm	mg/m3	ppm	mg/m3
ACGIH	N/E	N/E	N/E	N/E
ACGIH	N/E	N/E	N/E	N/E
		Ppm ACGIH N/E	Ppm mg/m3 ACGIH N/E N/E	Ppm         mg/m3         ppm           ACGIH         N/E         N/E         N/E

### Personal Protective Equipment:

Safety Glasses

Impervious Gloves

Appropriate respiratory protection is required when exposure to airborne contaminants may exceed acceptable limits

Respirators should be selected and used in accordance with OSHA, subpart I (29 CFR 1910, 134) and manufacturer's recommendations

Flame retardant clothing

Wear conductive safety shoes

Work Practices and Engineering controls:

Do not smoke in areas where powder is stored or used

Material is shock sensitive. Use care in handling

Keep away from ignition sources. Friction can cause ignition

Eyewash fountains and safety showers should be easily accessible

Prevent build up of static electric charges

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

Protective Measures During Repair and Maintenance

Eliminate ignition sources and prevent build-up of static electric charges

Use spark-proof tools and explosion-proof equipment

Wetting work area with water will greatly reduce hazards

Completely remove product from area, and thoroughly clean all equipment, piping or

vessels before beginning maintenance or repairs

A work permit system is recommended for any preparation and clean-up



### 9. PHYSICAL AND CHEMICAL PROPERTIES:

Form : liquid
Colour : light yellow
Odour : characteristic

Boiling point (°C) : >150

Melting point (°C) : N/A

Vapour pressure @ 25°(kPa) : N/A

Specific gravity : 0.95-1.05 (25)

Flash point (°C) : 190 Flammability limits (%) : N/A

Viscosity (°C) : 20-40 cps (25)

### **10. STABILITY AND REACTIVITY:**

Chemical Stability : Stable under recommended handling and storage conditions

**Incompatible materials**: Incompatible with acids, oxidizing agents, alkalis and amines

and strong sunlight or ultraviolet light

Hazardous decomposition

**Products**: None anticipated under normal or recommended handling

and products storage conditions

Hazardous Reactions : Not anticipated under normal or recommended handling

And storage conditions

### 11. TOXICOLOGICAL INFORMATION:

Reported Human effects : No human toxicity studies have been carried out with this

Product

Reported animal effects :

Acute Toxicity : oral (rat) LD<sub>50</sub> 1300 mg/kg (calculated)

Inhalation (rat) LC<sub>50</sub> not determined Skin (rabbit) LD<sub>50</sub> not determined

Skin irritation : May cause skin irritation
Eye irritation : May cause irritation to eyes

Chronic toxicity : No information

Sensitizing : May cause sensitization by skin contact Carcinogenity information : IARC: group 4 ACHIH : A5

Reproductive effects : No studies on reproductive effects have been carried out with

this product

Mutagenicity/genotoxicity : No mutagenicity studies have been carried out with this

product



### 12. ECOLOGICAL INFORMATION:

Ecology : No ecological studies have been carried out with this product

#### 13. DISPOSAL CONSIDERATIONS:

Waste Disposal Methods:

Disposal of waste and resin should be carried out under the direct supervision of a qualified person. For industrial disposal, federal hazardous waste regulations allow open burning of wastes in permitted facilities. Burn in the open in an isolated location in small, shallow piles not over one inch deep. Stay upwind. Do not breathe products of combustion. State or local regulations may be more stringent than federal regulations.

For disposal of small quantities, contact state or local environmental agencies for options

### 14. TRANSPORT INFORMATION:

RID/ADR :

UN Hazard Class : 8 UN No. : 1760

IMD Code :

GGVE/GGVS :

ICAO/IATS : class 3.3 packaging group III

ADNR :

Other information : environmentally hazardous substance

#### 15. REGULATORY INFORMATION:

Labeling according to EEC Directives

Hazardous identification : C (Corrosive)

Harmful by inhalation in contact with skin and if swallowed (R20/21/22). Causes burns (R34)

May cause sensitization by skin contact (R43)

In case of contact with eyes, rinse immediately with plenty of water and seek medical advise (S26)

Wear suitable protective clothing, gloves and eye/face protection (S36/37/39). In case of accident or

If you feel unwell, seek medical advice immediately (show the label where possible) (S45)

Avoid release to the environment. Refer to special instructions / Safety data sheets (S61)



### **16. OTHER INFORMATION:**

- 1. Directive 67/548/EEC EU: dangerous materials list
- 2. Directive 91/155/ECC EU MSDS prepared directive

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from MATEX.

If the product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to ensure that any person handling of using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from MATEX.

MATEX Rev-00-1123